## Gryphon 4600 Series

| Description | Part Number |
|---|---|
| Gryphon GBT4600, 2D, High Performance, Dual-sensor, Wireless Charging, Battery, Black (scanner only) | GBT4600-BK-HP |
| Gryphon GBT4600, 2D, High Performance, Dual-sensor, Wireless Charging, Battery, White HC (scanner only) | GBT4600-HC-HP |
| Gryphon GBT4600, 2D, High Performance, Dual-sensor, Wireless Charging, SuperCap, Black (scanner only) | GBT4600-BK-HP-SC |
| Gryphon GBT4600, Kit, 2D, High Performance, Dual-sensor, Black (Kit includes GBT4600-BK-HP scanner, WLC4690-BK-BT base and and USB Cable 90A052258) | GBT4600-BK-BTK1-HP |
| Gryphon GBT4600, Kit, 2D, High Performance, Dual-sensor, White HC (Kit includes GBT4600-HC-HP scanner, WLC4690-HC-BT base and and USB Cable 90A052278) | GBT4600-HC-BTK1-HP |
| Gryphon GBT4600, Kit, USB, Black (Kit includes scanner with SuperCap Pack, WLC4690-BK-BT base and USB cable 90A052258) | GBT4600-BK-BTK1-SC |
| Gryphon GM4600, 2D, High Performance, Dual-sensor, 433MHz, Wireless Charging, Battery, Black (scanner only) | GM4600-BK-433-HP |
| Gryphon GM4600, 2D, High Performance, Dual-sensor, 433MHz, Wireless Charging, Battery, White HC (scanner only) | GM4600-HC-433-HP |
| Gryphon GM4600, 2D, High Performance, Dual-sensor, 910MHz, Wireless Charging, Battery, Black (scanner only) | GM4600-BK-910-HP |
| Gryphon GM4600, 2D, High Performance, Dual-sensor, 910MHz, Wireless Charging, Battery, White HC (scanner only) | GM4600-HC-910-HP |
| Gryphon GM4600, Kit, 2D, High Performance, Dual-sensor, Black (Kit includes GM4600-BK-433-HP scanner, WLC4690-BK-433 base and and USB Cable 90A052258) | GM4600-BK-433K1-HP |
| Gryphon GM4600, Kit, 2D, High Performance, Dual-sensor, Black (Kit includes GM4600-BK-910-HP scanner, WLC4690-BK-910 base and and USB Cable 90A052258) | GM4600-BK-910K1-HP |
| Gryphon GM4600, Kit, 2D, High Performance, Dual-sensor, White HC (Kit includes GM4600-HC-433-HP scanner, WLC4690-HC-433 base and and USB Cable 90A052278) | GM4600-HC-433K1-HP |
| Gryphon GM4600, Kit, 2D, High Performance, Dual-sensor, White HC (Kit includes GM4600-HC-910-HP scanner, WLC4690-HC-910 base and and USB Cable 90A052278) | GM4600-HC-910K1-HP |
| Gryphon I GD4620, 2D, High Density, Single-sensor, 5VDC, USB-only, Black (scanner only) | GD4620-BK-HD |
| Gryphon I GD4620, Kit, 2D, High Density, Single-sensor, 5VDC, USB-only, Black (Kit includes Scanner and USB Cable 90A052258) | GD4620-BKK1-HD |
| Gryphon I GD4620, Kit, 2D, High Density, Single-sensor, 5VDC, USB-only, Black (Kit includes Scanner, Presentation Base PM-BASE-GD46-BK and USB Cable 90A052258) | GD4620-BKK1B-HD |
| Gryphon I GD4620, Kit, 2D, High Density, Single-sensor, 5VDC, USB-only, Black (Kit includes Scanner, Stand STD-G041-BK and USB Cable 90A052258) | GD4620-BKK1S-HD |
| Gryphon I GD4620, Kit, 2D, High Density, Single-sensor, 5VDC, USB-only, White HC (Kit includes Scanner and USB Cable 90A052278) | GD4620-HCK1-HD |
| Gryphon I GD4690, 2D, High Performance, Dual-sensor, 4.5-14VDC, USB/RS-232 multi-interface, Black (scanner only) | GD4690-BK-HP |
| Gryphon I GD4690, Kit, 2D, High Performance, Dual-sensor, 4.5-14VDC, USB/RS-232 multi-interface, Black (Kit includes Scanner and USB Cable 90A052258) | GD4690-BKK1-HP |

| | |
|---|---|
| Gryphon I GD4690, Kit, 2D, High Performance, Dual-sensor, 4.5-14VDC, USB/RS-232 multi-interface, Black (Kit includes Scanner, Presentation Base PM-BASE-GD46-BK and USB Cable 90A052258) | GD4690-BKK1B-HP |
| Gryphon I GD4690, Kit, 2D, High Performance, Dual-sensor, 4.5-14VDC, USB/RS-232 multi-interface, Black (Kit includes Scanner, Stand STD-G041-BK and USB Cable 90A052258) | GD4690-BKK1S-HP |
| Gryphon I GD4690, Kit, 2D, High Performance, Dual-sensor, 4.5-14VDC, USB/RS-232 multi-interface, White HC (Kit includes Scanner and USB Cable 90A052278) | GD4690-HCK1-HP |

| BASE STATION | |
|---|---|
| Wireless Charging Base Station, 433MHz, USB/RS-232 Multi-Interface, Black | WLC4690-BK-433 |
| Wireless Charging Base Station, 433MHz, USB/RS-232 Multi-Interface, White HC | WLC4690-HC-433 |
| Wireless Charging Base Station, 910MHz, USB/RS-232 Multi-Interface, Black | WLC4690-BK-910 |
| Wireless Charging Base Station, 910MHz, USB/RS-232 Multi-Interface, White HC | WLC4690-HC-910 |
| Wireless Charging Base Station, BT, USB/RS-232 Multi-Interface, Black | WLC4690-BK-BT |
| Wireless Charging Base Station, BT, USB/RS-232 Multi-Interface, White HC | WLC4690-HC-BT |

| EASEOFCARE AGREEMENTS | |
|---|---|
| GD46XX, 2 DAYS, 3 YEARS, COMP | ZSC2GD4631 |
| GD46XX, 2 DAYS, 5 YEARS, COMP | ZSC2GD4651 |
| GD46XX, 2 DAYS, RENEWAL, COMP | ZSC2GD46R1 |
| GD46XX, 3 DAYS, 3 YEARS, COMP | ZSC3GD4631 |
| GD46XX, 3 DAYS, 5 YEARS, COMP | ZSC3GD4651 |
| GD46XX, 3 DAYS, RENEWAL, COMP | ZSC3GD46R1 |
| GD46XX, 5 DAYS, 3 YEARS | ZSN5GD4631 |
| GD46XX, 5 DAYS, 5 YEARS | ZSN5GD4651 |
| GD46XX, 5 DAYS, RENEWAL | ZSN5GD46R1 |
| GD46XX, FLEXI, 3 YEARS, COMP | ZSCFGD4631 |
| GD46XX, FLEXI, 5 YEARS, COMP | ZSCFGD4651 |
| GD46XX, FLEXI, RENEWAL | ZSNFGD46R1 |
| GD46XX, FLEXI, RENEWAL, COMP | ZSCFGD46R1 |
| GD46XX, OVRNGHT, 3 YEARS, COMP | ZSC1GD4631 |

| | |
|---|---|
| GD46XX, OVRNGHT, 5 YEARS, COMP | ZSC1GD4651 |
| GD46XX, OVRNGHT, RENEWAL, COMP | ZSC1GD46R1 |
| GM/BT46XX 2 DAYS COMP,3 YEARS, BATT | ZSC2GM463B |
| GM/BT46XX 2 DAYS COMP,5 YEARS, BATT | ZSC2GM465B |
| GM/BT46XX 2 DAYS COMP,RENEWAL, BATT | ZSC2GM46RB |
| GM/BT46XX BASE, 2 DAYS, 3 YEARS, COMP | ZSC2GM46B31 |
| GM/BT46XX BASE, 2 DAYS, 5 YEARS, COMP | ZSC2GM46B51 |
| GM/BT46XX BASE, 2 DAYS, RENEWAL, COMP | ZSC2GM46BR1 |
| GM/BT46XX BASE, 3 DAYS, 3 YEARS, COMP | ZSC3GM46B31 |
| GM/BT46XX BASE, 3 DAYS, 5 YEARS, COMP | ZSC3GM46B51 |
| GM/BT46XX BASE, 3 DAYS, RENEWAL, COMP | ZSC3GM46BR1 |
| GM/BT46XX BASE, 5 DAYS, 3 YEARS | ZSN5GM46B31 |
| GM/BT46XX BASE, 5 DAYS, 5 YEARS | ZSN5GM46B51 |
| GM/BT46XX BASE, 5 DAYS, RENEWAL | ZSN5GM46BR1 |
| GM/BT46XX BASE, FLEXI, 3 YEARS, COMP | ZSCFGM46B31 |
| GM/BT46XX BASE, FLEXI, 5 YEARS | ZSNFGM46B51 |
| GM/BT46XX BASE, FLEXI, 5 YEARS, COMP | ZSCFGM46B51 |
| GM/BT46XX BASE, FLEXI, RENEWAL | ZSNFGM46BR1 |
| GM/BT46XX BASE, FLEXI, RENEWAL, COMP | ZSCFGM46BR1 |
| GM/BT46XX BASE, OVRNGHT, 3 YEARS, COMP | ZSC1GM46B31 |
| GM/BT46XX BASE, OVRNGHT, 5 YEARS, COMP | ZSC1GM46B51 |
| GM/BT46XX BASE, OVRNGHT, RENEWAL, COMP | ZSC1GM46BR1 |
| GM/BT46XX, 2 DAYS, 3 YEARS, COMP | ZSC2GM4631 |
| GM/BT46XX, 2 DAYS, 5 YEARS, COMP | ZSC2GM4651 |
| GM/BT46XX, 2 DAYS, RENEWAL, COMP | ZSC2GM46R1 |
| GM/BT46XX, 3 DAYS, 3 YEARS, COMP | ZSC3GM4631 |
| GM/BT46XX, 3 DAYS, 5 YEARS, COMP | ZSC3GM4651 |
| GM/BT46XX, 3 DAYS, RENEWAL, COMP | ZSC3GM46R1 |

| | |
|---|---|
| GM/BT46XX, 5 DAYS, 3 YEARS | ZSN5GM4631 |
| GM/BT46XX, 5 DAYS, 5 YEARS | ZSN5GM4651 |
| GM/BT46XX, 5 DAYS, RENEWAL | ZSN5GM46R1 |
| GM/BT46XX, FLEXI, 3 YEARS, COMP | ZSCFGM4631 |
| GM/BT46XX, FLEXI, 5 YEARS | ZSNFGM4651 |
| GM/BT46XX, FLEXI, 5 YEARS, COMP | ZSCFGM4651 |
| GM/BT46XX, FLEXI, RENEWAL | ZSNFGM46R1 |
| GM/BT46XX, FLEXI, RENEWAL, COMP | ZSCFGM46R1 |
| GM/BT46XX, OVRNGHT, 3 YEARS, COMP | ZSC1GM4631 |
| GM/BT46XX, OVRNGHT, 5 YEARS, COMP | ZSC1GM4651 |
| GM/BT46XX, OVRNGHT, RENEWAL, COMP | ZSC1GM46R1 |

| BATTERIES/BATTERY CHARGERS | |
|---|---|
| Battery Pack, Removable, Gryphon 4600 series wireless scanner | RBP-GM46 |
| SuperCap Pack, Removable, Gryphon 4600 series wireless scanner | RSP-GM46 |

| CABLES | |
|---|---|
| Cable, RS-232, 12' Coiled (For Magellan) | 90G001095 |
| Cable, RS-232, 9P, Female, Coiled, CAB-362, External Power, 6 ft. | 90A051330 |
| Cable, RS-232, 9P, Female, Coiled, CAB-408 (Power available on pin 9 of the connector or through external power supply), 6 ft. | 90A051891 |
| Cable, RS-232, 9P, Female, Straight, CAB-327, Requires External Power, 6 ft. | 90G000008 |
| Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft. | 90A051230 |
| Cable, RS-232, 9P, Male, Beetle POS, Straight, CAB-389, Power Off Terminal, 6.5 ft. | 90A051710 |
| Cable, RS-232, DCE, 9P, Extended Power-Power off Terminal, 4 Meters | 90A052086 |
| Cable, RS-232,RJ to RJ, Coiled, 6' (For Magellan Aux Port) | 90G001092 |
| Cable, USB, Power Conn, Straight, Power off terminal, 2 Meters, CAB-413E2 | 90A052101 |
| Cable, USB, Type A, Coiled, Power off terminal, 2 Meters, CAB-424E | 90A052100 |

| | |
|---|---|
| Cable, USB, Type A, Enhanced, Coiled, Power Off Terminal, 5 Meters | 90A052066 |
| Cable, USB, Type A, Enhanced, Straight, Power Off Terminal, 2M (USB Certified) | 90A052065 |
| Cable, USB, Type A, PVCW, Straight, 2M, Black | 90A052258 |
| Cable, USB, Type A, PVCW, Straight, 2M, White | 90A052278 |
| Cable, USB, Type A, TPUW, Coiled, Power off Terminal, 5M, Black | 90A052289 |
| Cable, USB, Type A,TPUW, Coiled, 2.4m, Black | 90A052285 |
| Cable, USB, Type C, PVCW, Coiled 2.4M, Black | 90A052354 |
| Cable, USB, Type C, PVCW, Straight, 2M, Black | 90A052352 |
| Cable, USB, Type C, PVCW, Straight, 2M, White | 90A052353 |
| Cable, USB+PWR,TPUW, Straight, 2M, Black | 90A052302 |

| MISCELLANEOUS | |
|---|---|
| Bracket Adapter Compatible with WLC4190 Mounting System (for use with WLC4690-BK Wireless Charging Base Station) | BA-WLC4690-BK |
| Cart Clip, Black (for use with WLC4690-BK Wireless Charging Base Station) | CC-WLC4690-BK |
| Cart Clip, White HC (for use with WLC4690-HC Wireless Charging Base Station) | CC-WLC4690-HC |
| Presentation Mode Base, Black (Gryphon 4600 corded models) | PM-BASE-GD46-BK |
| Presentation Mode Enabler and Bracket Adapter Compatible with WLC4090 Mounting System, Black (for use with WLC4690-BK Wireless Charging Base Station) | PA-WLC4690-BK |
| Presentation Mode Enabler and Bracket Adapter Compatible with WLC4090 Mounting System, White HC (for use with WLC4690-HC Wireless Charging Base Station) | PA-WLC4690-HC |

| MOUNTS/STANDS | | |
|---|---|---|
|  | Holder, Desk/Wall Mount, G041, Black | HLD-G041-BK |
|  | Holder, Desk/Wall Mount, G041, White | HLD-G041-WH |

| | | |
|---|---|---|
| | Holder, Multi-Purpose, Black | 11-0360 |
| | Holder, Multi-Purpose, Grey | 11-0362 |
| | Stand, Auto, G041, Black | STD-G041-BK |
| | Stand, Auto, G041, White | STD-G041-WH |

| POWER SUPPLIES/CORDS | |
|---|---|
| Power Adapter, 12V DC, AC/DC Regulated, RoHS (Requires Power Cord - 6003-XXXX) | 8-0935 |
| Power Cord, 100V, Japan | 6003-0927 |
| Power Cord, 110V, US, Standard | 6003-0941 |
| Power Cord, 220V, Australia | 6003-0925 |
| Power Cord, 220V, Italy/Chile | 6003-0924 |
| Power Cord, 240V, UK | 6003-0923 |
| Power Cord, AC, IEC/EU | 6003-0940 |
| Power Cord, IEC C13, Brazil | 6003-0942 |
| Power Supply,Switching,12V,5A (For Use with 6003-XXXX Power Cords) | 90ACC0350 |

| SOFTWARE | |
|---|---|
| API enabling HHS device integration for real-time tracking, connectivity and battery monitoring, diagnostics, anomaly detection, RMA/Ease-of-Care integration, centralized firmware control, advanced configuration, automation, and policy enforcement. | ZSIOTAPIHHS |
| IoT Essential Package for HHS Devices - Real-time tracking, connectivity and battery monitoring, system diagnostics, anomaly detection, RMA management, and Ease-of-Care integration for optimized HHS device fleet management | ZSIOTESSHHS |
| IoT Professional Package for HHS Devices - Centralized firmware management, advanced device configuration (scan modes, symbology, power settings), scheduled automation, and policy enforcement for compliant and optimized HHS devices performance | ZSIOTPROHHS |